Material Safety Data Sheet

Section 1 - Product Identification

Supplier: Repligen Corporation

41 Seyon Street, Building #1, Suite 100

Waltham, MA 02453

Phone: (781) 250-0111; Fax: (781) 250-0115

Product Name: Immobilized rProteinA (IPA-300S)

Synonyms: IPA-300S Catalog No(s): IPA-3AF

Section 2 - Composition / Information on Ingredients

Component	CAS	% (volume)	OSHA exposure limit
Ethanol	64-17-5	17.8 – 18.5%	TWA: 1000 ppm 8 hour(s).
Cross linked agarose	9012-36-6	50%	Not established

Section 3 - Hazards Identification

Emergency Overview: COMBUSTIBLE LIQUID

CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

CAN CAUSE TARGET ORGAN DAMAGE

OSHA: HAZARDOUS MATERIAL

HMIS: Health Hazard: 2 Temporary or minor injury may occur

Flammability: 2 Will not ignite at room temperature

Reactivity: 0 Stable

NFPA: Health Hazard: 2 Intense or continued but not chronic

exposure could cause temporary I

incapacitation or possible residual injury

Fire: 2 Flash point between 38°C/100°F and

93°C/200°F

Instability: 0 Normally stable. Not reactive with water

EU Risk/Safety Phrases: R10 Flammable

R22 Harmful if swallowed

S16 Keep away from sources of ignition - No smoking

S20 When using do not eat or drink

Section 4 - First Aid Measures

If swallowed: Get medical attention.

In case of eye contact: Flush eyes with clean water for at least 15 minutes. Remove contact

lenses. Seek medical attention.

In case of skin contact: Flush skin with water. Remove contaminated clothing

If inhaled: Move to fresh air. Get medical attention



Material Safety Data Sheet

Section 5 – Fire Fighting Measures

COMBUSTIBLE LIQUID: WARNING: Containers may burst or explode if heated. Move containers

away from heat or fire (if this can be done without risk)

Flash point (closed cup) 100 °F (37.8 °C)

Fire Extinguishing media: Dry chemical, CO₂ or foam. Do not use water jet.

Section 6 – Steps to be Taken in the Event of a Spill or Discharge:

Personal Protection: Wear lab coat, gloves and eye protection. Avoid contact with spilled

material. Avoid breathing vapor or mist. Provide adequate ventilation. Eliminate any sparks, flames or ignition sources from the spill area. Do not allow spilled material to enter soil, waterways or drains. Do not

allow spilled material to accumulate in confined areas.

Control spillage with non-flammable absorbent materials such as sand, earth or vermiculite. Contact licensed waste disposal contractor for

proper disposal.

Disposal procedure: Do not dispose of in drains. Follow all applicable federal, state, and local

environmental regulations.

Section 7 - Handling and Storage

General Precautions: Use appropriate personal protective equipment, and observe good

laboratory hygiene (see section 8).

Ventilation: Keep and use only in a well ventilated area

Respiratory Protection: Not required if ventilation is adequate. Wear a suitable respirator if

ventilation is inadequate

Eye/skin Protection: Standard safe laboratory practices recommended.

Storage: Keep container tightly closed. Keep away from flames, sparks or other

ignition sources.

Store at 2-8°C/36-46°F for maximum shelf life (does not impact safety)

Special precautions: Dissipate static electricity by grounding all containers prior to transfer

Section 8 - Exposure Controls/Personal Protection

General: Keep away from heat, sparks and flame. Avoid exposure.

Do not breathe vapor or mist. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wash thoroughly after

handling

Personal protective equipment: Standard laboratory practices recommended. Personal protective

equipment should be selected to provide adequate protection based

upon the procedures being performed.

Wear laboratory coat, gloves and safety glasses when handling. Respiratory protection not required if ventilation is adequate.

Clean any exposed skin after handling, before leaving the working area,

and before eating, smoking or using the lavatory. Clean any contaminated clothing before re-use.

41 Seyon Street, Bldg 1, Suite 100, Waltham MA 02453



Material Safety Data Sheet

Exposure limits (Ethanol): ACGIH TLV (United States).

IDLH: 3300 ppm

NIOSH REL (United States, 12/2001).

TWA: 1900 mg/m³ 10 hour(s).; TWA: 1000 ppm 10 hour(s).

OSHA PEL (United States, 11/2006).

TWA: 1900 mg/m³ 8 hour(s); TWA: 1000 ppm 8 hour(s).

Section 9 - Physical and Chemical Properties

Appearance: Colorless Liquid with white suspended solids.

Solids may settle during storage.

Flash point: 100 °F (37.8 °C)

Odor: Alcohol
% Volatile: 19% (w/w)
VOC: 190 g/L

Section 10 - Stability and Reactivity

Stability: Stable under normal storage and use.

Hazardous polymerization: Will not occur

Warnings: Keep away from oxidizing materials.

Flammable. Keep away from open flames, sparks and heat.

Section 11 - Toxicological Information

Ethanol:	<u>Result</u>	Species	Dose
	LD50 Intra-arterial	Rat	11 mg/kg
	LD50 Intraperitoneal	Rat	3600 ug/kg
	LD50 Intravenous	Rat	1440 mg/kg
	LD50 Oral	Rat	7060 mg/kg
	TDLo Intracerebral	Rat	106 ug/kg
	TDLo Intravenous	Rat	0.5 g/kg
	TDLo Oral	Rat	6000 mg/kg
	TDLo Oral	Rat	5000 mg/kg
	TDLo Intraperitoneal	Rat	3000 mg/kg
	TDLo Intraperitoneal	Rat	500 mg/kg

Chronic effects: Contains material that can cause target organ damage

Carcinogenicity: None known Mutagenicity: None known Teratogenicity: None known Developmental effects: None known Fertility effects: None known

Target organs: Blood, kidneys, reproductive system, liver, respiratory tract,

skin, CNS, eye.

Cross Linked Agarose: None known

41 Seyon Street, Bldg 1, Suite 100, Waltham MA 02453



Material Safety Data Sheet

Section 12 - Ecological Information

Aquatic ecotoxicity (Ethanol): Test Result Species Exposure

Intoxication Acute EC50 >100mg/L Daphnia 48 hours Intoxication Acute EC50 9.3 mg/L Daphnia 48 hours Physiology Acute EC50 2 mg/L Daphnia 48 hours Acute LC50 13000mg/L Fish Mortality 96 hours Mortality Acute LC50 >100mg/L Daphnia 96 hours Mortality Acute LC50 >100mg/L Fish 96 hours

Cross linked agarose: No known hazards

Section 13 - Disposal Considerations

Dispose of in accordance with all applicable federal, state, and local environmental regulations. Do not allow spilled material to enter soil, waterways or drains See sections 6, 7 and 8.

Section 14 - Transport Information

IATA: Not classified: IATA Special Provision A58 - Aqueous solutions containing

24% or less alcohol by volume not subject to these regulations.

DOT Road Transport: Non Hazardous.

Not subject to the requirements of 49CFR per section 173.150(e).

Section 15 - Regulatory Information

US Federal Regulations: United States inventory (TSCA 8b): All components are listed or exempted

SARA 302/304/311/312 extremely hazardous substances: No products were

found.

SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: Ethanol

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Ethanol: Fire hazard, Immediate (acute) health hazard, Delayed (chronic) health

hazard

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 accidental release prevention: No products were found. Clean Air Act (CAA) 112 regulated flammable substances: No products were

found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

TSCA 8b: All components are listed or exempted

State regulations: None of the components of the product are listed in any of the following state

regulations:

Connecticut Carcinogen Reporting, Connecticut Hazardous Material Survey, Florida substances, Illinois Chemical Safety Act, Illinois Toxic Substances

Disclosure to Employee Act, Louisiana Reporting, Louisiana Spill,

Massachusetts Spill, Massachusetts Substances, Michigan Critical Material,





Material Safety Data Sheet

Minnesota Hazardous Substances, New Jersey Hazardous Substances, New Jersey Spill, New Jersey Toxic Catastrophe Prevention Act, New York Acutely

Hazardous Substances, New York Toxic Chemical Release Reporting,

Pennsylvania RTK Hazardous Substances, Rhode Island Hazardous Substances.

EU Risk Phrases: R10 Flammable

R22 Harmful if swallowed

S16 Keep away from sources of ignition - No smoking

S20 When using do not eat or drink

International: Australia inventory (AICS): All components are listed or exempted.

China inventory (IECSC): All components are listed or exempted. Korea inventory (KECI): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Japan inventory (ENCS): All components are listed or exempted.

Section 16 - Other Information

The material published in this Material Safety Data Sheet has been compiled from our experience and data presented in various publicly available publications. It is the user's responsibility to determine the suitability of this information for the adoption of necessary safety precautions.

Repligen makes no warranty or representation about the accuracy or completeness nor fitness for purpose of the information contained herein.

